

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent of:)	
	:	Examiner: Sandra Brase
KEISHI OSAWA, ET AL.)	
	:	Group Art Unit: 2852
Appl. No.: 10/073,395)	
	:	Confirmation No.: 5381
Filed: February 12, 2002)	
	:	
For: DEVELOPING APPARATUS)	
	:	
U.S. Patent No.: 7,076,182 B2)	
	:	
Issued: July 11, 2006)	March 13, 2007

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

REQUEST FOR CERTIFICATE OF CORRECTION
UNDER RULES 322 AND 323

Sir:

It is respectfully requested that a Certificate of Correction be issued by the Patent and Trademark Office due to errors which appear in the printed patent as a result of Patent and Trademark Office mistakes, and mistakes of a clerical, typographical, or minor character, which were not the fault of the Patent and Trademark Office. A Certificate of Correction form, in duplicate, is enclosed.

The \$100.00 fee for the Certificate of Correction is being paid electronically. The Commissioner is authorized to charge any underpayment or credit any overpayment to Deposit Account No. 06-1205.

Patentees' undersigned attorney may be reached in our Washington, D.C. office by telephone at (202) 530-1010. All correspondence should continue to be directed to our address given below.

Respectfully submitted,

/William M. Wannisky/

William M. Wannisky
Attorney for Patentees
Registration No. 28,373

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3800
Facsimile: (212) 218-2200

WMW:eyw

Staple
Here
Only!

PRINTER'S TRIM LINE

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 7,076,182 B2

DATED : July 11, 2006

INVENTOR(S) : KEISHI OSAWA

Page 1 of 3

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COLUMN 1:

Line 7, "and" should read --an--.

COLUMN 2:

Line 33, "has" should read --have--.

Line 48, "is" should read --are--.

Line 65, "toner" should read --toner increases--.

COLUMN 3:

Line 9, "are" should read --is--.

Line 11, "are" should read --is--.

Line 30, "contaminate" should read --contaminating--.

COLUMN 5:

Line 1, "and" should read --an--.

Line 45, "functions" should read --function--.

COLUMN 7:

Line 11, "to" should be deleted.

Line 13, "which" should read --in which--.

Line 64, "interval," should read --intervals,--.

COLUMN 8:

Line 45, "interval," should read --intervals,--.

Line 50, "dispose" should read --disposed--.

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3801
(212) 218-2100 - Telephone
(212) 218-2200 - Facsimile

PATENT NO. 7,076,182 B2

No. of add'l. copies
@ 30¢ per page



Staple
Here
Only!

PRINTER'S TRIM LINE

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 7,076,182 B2

DATED : July 11, 2006

INVENTOR(S) : KEISHI OSAWA

Page 2 of 3

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COLUMN 9:

Line 32, "is" should read --are--.

Line 35, "repeats" should read --repeat--.

Line 40, "moves," should read --move,--.

Line 57, "its" should read --is--.

Line 58, "a" should be deleted.

COLUMN 11:

Line 8, "sleeve" should read --sleeve is produced.--.

Line 42, "are" should read --had been--.

COLUMN 12:

Line 2, "continues" should read --continue--.

Line 3, "certain" should read --a certain--.

Line 8, "situation" should read --the situation--.

Line 9, "worst" should read --the worst--.

Line 59, "like." should read --the like.--.

Line 61, "shows" should read --show--.

COLUMN 13:

Line 22, "having t" should be deleted.

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3801
(212) 218-2100 - Telephone
(212) 218-2200 - Facsimile

PATENT NO. 7,076,182 B2

No. of add'l. copies
@ 30¢ per page



Staple
Here
Only!

PRINTER'S TRIM LINE

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 7,076,182 B2

DATED : July 11, 2006

INVENTOR(S) : KEISHI OSAWA

Page 3 of 3

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COLUMN 14:

Line 16, "no sheet contamination more transfer guide" should read --no more sheet contamination by the transfer guide--.

Line 67, "they are" should read --it is--.

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3801
(212) 218-2100 - Telephone
(212) 218-2200 - Facsimile

PATENT NO. 7,076,182 B2

No. of add'l. copies
@ 30¢ per page

Form PTO 1050 (Rev. 3-82)

DC_Main 270942 v1

